

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

Version 6.0

User Selection Criteria
<div><div>Handler ID:</div><div>GAD010103232</div></div> <div><div>Unit Detail:</div><div>Current</div></div> <div><div>Display Code</div><div>Yes</div></div> <div><div>Include Waste Codes:</div><div>Yes</div></div>

Report Results
<div><div>Number of Handlers:</div><div>1</div></div> <div><div>Number of Pages:</div><div>9</div></div>

Report Description
<p>This report lists all permitting data for facilities that meet the user selection criteria. Handlers with permit series information only are not included in this report. Unlinked Events are shown for each facility, as are Units that are not linked to either an Event or Unit Detail. The report is presented by Handler, Unit Detail, and Event and is sorted by Handler Name, Handler ID, Unit/Unit Detail Sequence Number, Event Best Date (descending), and Event Code.</p>

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

Page 2

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

List of Handler Universe Abbreviations

Generator	Indicates that the facility is a Large Quantity Generator (LQG), Small Quantity Generator (SQG), Very Small Quantity Generator (VSQG), or Not a Generator (N).
Transporter	Indicates that the facility Transports waste subject to RCRA regulations. ('Y' indicates that the facility is in this universe).
Operating TSDF	Indicates that the facility is a Treatment, Storage or Disposal facility subject to any type of enforcement. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
IC / EC in Place	Indicates that the facility has Institutional Controls / Engineering Controls in place. ('Y' indicates that the facility is in the respective universe).
EL Indicator (HE/GW)	Indicates that the facility has controls in place for Environmental Indicators. HE - Human Exposures ('+' indicates the exposure exists and is under control; '-' indicates the exposure exists and is not under control; 'N' indicates the exposure does not exist)
Permit Progress	Indicates that the facility is part of the Permitting/Closure/Post-Closure Progress universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Permit Workload	Indicates that the facility is part of the Permit Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Closure Workload	Indicates that the facility is part of the Closure Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Post-Closure Workload	Indicates that the facility is part of the Post-Closure Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
Renewals Workload	Indicates that the facility is part of the Permit Renewals Workload universe. It then specifies the type of facility (L - Land Disposal; I - Incinerator; B - BIF; S - Storage; T - Treatment, H - SWM)
GPRA Permits	Indicates that the facility is part of the GPRA Permit universe. ('+' indicates that the facility is on the GPRA Permit Baseline and meeting the goal; '-' indicates that the facility is on the GPRA Permit Baseline and not meeting the goal; 'N' indicates that the facility is not on the GPRA Permit Baseline)
GPRA Renewals	Indicates that the facility is part of the GPRA Renewals universe. ('+' indicates that the facility is on the GPRA Renewals Baseline and meeting the goal; '-' indicates that the facility is on the GPRA Renewals Baseline and not meeting the goal; 'N' indicates that the facility is not on the GPRA Renewals Baseline)
Subject to CA	Indicates that the facility is part of the Subject to Corrective Action universe. ('Y' indicates that the facility is in this universe)
Subj CA TSD 3004	Indicates that the facility is a Treatment, Storage or Disposal facility Potentially Subject to Corrective Action Under 3004(u)/(v). ('Y' indicates that the facility is in this universe)
Subj CA TSD Discr	Indicates that the facility is a Treatment, Storage or Disposal facility Subject to Corrective Action Under Discretionary Authorities. ('Y' indicates that the facility is in this universe)
Subj CA Non-TSD	Indicates that the facility is a Non-Treatment, Storage or Disposal facility where Corrective Action has been imposed. ('Y' - the facility is in this universe)
CA Workload	Indicates that the facility is part of the Corrective Action Workload universe. ('Y' - the facility is in this universe)
GPRA CA 2020	Indicates that the facility is part of the GPRA Corrective Action universe ('Y' - the facility is in this universe)

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

Process Codes			
Code	Description	Code	Description
D79	UNDERGROUND INJECTION WELL DISPOSAL	D80	LANDFILL
D81	LAND APPLICATION	D82	OCEAN DISPOSAL
D83	SURFACE IMPOUNDMENT DISPOSAL	D99	OTHER DISPOSAL
S01	CONTAINER	S02	TANK STORAGE
S03	WASTE PILE	S04	SURFACE IMPOUNDMENT STORAGE
S05	DRIP PAD	S06	CONTAINMENT BUILDING - STORAGE
S99	OTHER STORAGE	SWM	SOLID WASTE MANAGEMENT UNIT
T01	TANK TREATMENT	T02	SURFACE IMPOUNDEMENT TREATMENT
T03	INCINERATOR	T04	OTHER TREATMENT
T80	BOILER	T81	CEMENT KILN
T82	LIME KILN	T83	AGGREGATE KILN
T84	PHOSPHATE KILN	T85	COKE OVEN
T86	BLAST FURNACE	T87	SMELTING, MELTING OR REFINING FURNACE
T88	TITANIUM DIOXIDE CHLORIDE OXIDATION REACTOR	T89	METHANE REFORMING FURNACE
T90	PULPING LIQUOR RECOVERY FURNACE	T91	COMBUSTION DEVICE IN RECOVERY OF SULFUR FROM ACID
T92	HALOGEN ACID FURNACES	T93	OTHER INDUSTRIAL FURNACES
T94	CONTAINMENT BUILDING - TREATMENT	TRN	TRANSPORTER
X01	OPEN BURNING/OPEN DETONATION	X02	MECHANICAL PROCESSING
X03	THERMAL UNIT	X04	GEOLOGIC REPOSITORY
X99	OTHER SUBPART X		

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

Page 4

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

Legal Codes		Operating Codes	
Code	Description	Code	Description
DL	DELISTED	AB	ABANDONED
EM	EMERGENCY PERMIT	AE	UNDER ALTERNATE ENFORCEABLE DOC FOR PC CARE
IS	INTERIM STATUS	BC	BEFORE CONSTRUCTION
IT	INTERIM STATUS TERMINATED	CA	REFERRED TO CORRECTIVE ACTION FOR CLOSURE
LI	LOSS OF INTERIM STATUS	CC	CLEAN CLOSED
LP	LOSS OF PRE-MOD AUTHORIZATION	CL	CLOSED BY CHANGING PROCESS TO < 90-DAY STORAGE
NN	NON-NOTIFIER/ILLEGAL	CL	CLOSED BY CHANGING PROCESS TO LESS THAN 90-DAY STORAGE
NR	NEVER REGULATED AS A TSD	CN	CONSTRUCTED, NOT YET MANAGING HAZARDOUS WASTE
PC	POST-CLOSURE PERMITTED	CO	COMPLETED POST-CLOSURE CARE
PI	PERMITTED	CP	CLOSED WITH WASTE IN PLACE
PM	PRE-MOD AUTHORIZATION	CR	CONDUCTING ACTIVITIES NOT REQUIRING A PERMIT
PR	PROPOSED	CV	CONVERTED BUT NOT RCRA CLOSED
PT	PERMIT TERMINATED/PERMIT EXPIRED, NOT CONTINUED	DC	DELAY OF CLOSURE
RD	RESEARCH, DEVELOPMENT, AND DEMONSTRATION PERMIT	IN	INACTIVE/CLOSING, BUT NOT YET RCRA CLOSED
RP	REMEDIAL ACTION PLAN	NE	NEWLY TRANSFERRED
RQ	REQUESTED BUT NOT APPROVED	NO	NO LONGER REGULATED
RU	PERMIT-BY-RULE	OP	OPERATING, ACTIVELY MANAGING RCRA-REGULATED WASTE
SR	STATE REGULATED	PF	PROTECTIVE FILER
TA	TEMPORARY AUTHORIZATION	SF	REFERRED TO CERCLA
TR	TRANSFER OF OWNERSHIP	UC	UNDER CONSTRUCTION

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

FORMER XEROX ATLANTA CRC FACILITY

County Name/Code: FULTON / GA121

GAD010103232

Location6077 FULTON INDUSTRIAL BOULEVARD, ATLANTA, GA 30336
Latitude: 33.718429Longitude -84.585794

Mailing:6077 FULTON INDUSTRIAL BOULEVARD, ATLANTA, GA 30336

Region:04

Activity GA		State District: RSU		Non-		Extract Flag: Y		Active Site: Y	
Generator:	N	Transporter:	N	Operating TSDF:	-----	IC/EC In Place:	Y / Y	EI Indicator (HE / GW):	+ / +
Permit Progress:	L-----	Post-Closure	L-----	Subject to CA:	Y	Subj CA Non-TSD:	N	GPRA CA 2020:	Y
Permit Workload:	-----	Renewals Workload:	-----	Subj CA TSD 3004:	Y	CA Workload:	Y	GPRA Permit:	N
Closure Workload:	-----			Subj CA TSD Discr:	N			GPRA Renewals:	N

Unit Name	Seq.	Process Code	Legal/Op. Status	# Units	Capacity	UOM	Capacity Type	Standard Permit	Effective Date
TANKSTOR	1-3	D80	PCCP	1	0	Ac-F		N	03/15/1989
Commercial Status: Does not accept waste from off-site generators									
Waste Codes: No Waste Codes found									

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	1	HQ - PC270 - PERMIT EXPIRATION DATE	STATE		01/05/2032
	1	HQ - PC205 - FINAL PERMIT EFFECTIVE	STATE	01/05/2022	
	1	HQ - PC200PJ - FINAL DETERMINATION-RCRA PERMIT ISSUED WITH HSWA CA SCHED.	STATE	12/08/2021	
	1	HQ - PC160DP - PUBLIC NOTICE-DRAFT PERMIT	STATE	07/28/2021	
	1	HQ - PC150 - DETERMINED TO BE COMPLETE/TECH ADEQUATE	STATE	07/15/2021	
	1	HQ - PC110 - REVISIONS RECEIVED	STATE	11/02/2020	
	1	HQ - PC100 - NOTICE OF DEFICIENCY	STATE	10/26/2020	
	1	HQ - PC020RN - POST-CLOSURE RENEWAL APPLICATION RECEIVED	STATE	06/23/2020	
	1	HQ - PC250 - PERMIT REVIEWED	STATE	05/04/2017	
Notes: 5 YEAR REGULATORY COMPLETENESS REVIEW					
	2	HQ - PC160DP - PUBLIC NOTICE-DRAFT PERMIT	STATE	12/28/2016	
	1	HQ - PC233 - REVISED PERMIT MODIFICIATION RECEIVED	STATE	03/29/2016	
	1	HQ - PC232 - MODIFICATION NOTICE OF DEFICIENCY	STATE	11/30/2015	
	1	HQ - PC230CA - MODIFICATION REQUESTED RECEIVED-CORRECTIVE ACTION	STATE	06/16/2015	
	1	HQ - PC23130 - CLASS DETERMINATION-CLASS 3 MOD	STATE	06/16/2015	
Not Linked to a Modification (PC230) Event	1	HQ - PC240OH - MODIFICATION APPROVED-MOD. OTHER THAN AU, CA, OR GW	STATE	07/08/2013	

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

Page 6

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

FORMER XEROX ATLANTA CRC FACILITY - (continued)					GAD010103232
Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (OP230) Event	1	HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW	STATE	06/05/2013	
	1	HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED	STATE	06/05/2013	
	1	HQ - OP240OH - MODIFICATION APPROVED-OTHER MODIFICATION	STATE	04/08/2013	
	2	HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW	STATE	02/20/2013	
	2	HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED	STATE	02/20/2013	
	2	HQ - PC232 - MODIFICATION NOTICE OF DEFICIENCY	STATE	12/07/2012	
	2	HQ - PC230CA - MODIFICATION REQUESTED RECEIVED-CORRECTIVE ACTION	STATE	10/05/2012	
	2	HQ - PC23130 - CLASS DETERMINATION-CLASS 3 MOD	STATE	10/05/2012	
	1	HQ - PC205 - FINAL PERMIT EFFECTIVE	STATE	01/31/2011	
	2	HQ - PC270 - PERMIT EXPIRATION DATE	STATE	01/31/2011	03/13/2010
	1	HQ - PC200PJ - FINAL DETERMINATION-RCRA PERMIT ISSUED WITH HSWA CA SCHED.	STATE	01/14/2011	
	1	HQ - PC160DP - PUBLIC NOTICE-DRAFT PERMIT	STATE	11/18/2010	
	2	HQ - PC110 - REVISIONS RECEIVED	STATE	08/20/2010	
	Notes: PART B REVISIONS				
	2	HQ - PC100 - NOTICE OF DEFICIENCY	STATE	07/16/2010	
	1	HQ - PC110 - REVISIONS RECEIVED	STATE	06/14/2010	
	Notes: PART B REVISION				
	1	HQ - PC100 - NOTICE OF DEFICIENCY	STATE	03/24/2010	
	1	HQ - PC020RN - POST-CLOSURE RENEWAL APPLICATION RECEIVED	STATE	10/09/2009	
	Notes: RENEWAL APPLICATION				
	2	HQ - PC231AI - CLASS DETERMINATION-AGENCY INITIATED MOD	STATE	03/25/2005	
	2	HQ - PC236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE	STATE	03/25/2005	
	1	HQ - PC250 - PERMIT REVIEWED	STATE	03/25/2005	
	1	HQ - PC200PG - FINAL DETERMINATION-RCRA PERMIT ISSUED, NO HSWA CA SCHED.	STATE	03/13/2000	
	1	HQ - PC205 - FINAL PERMIT EFFECTIVE	STATE	03/13/2000	

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

Page 7

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

FORMER XEROX ATLANTA CRC FACILITY - (continued)					GAD010103232
Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (PC230) Event	2	HQ - PC150 - DETERMINED TO BE COMPLETE/TECH ADEQUATE	STATE	01/27/2000	
	2	HQ - PC160DP - PUBLIC NOTICE-DRAFT PERMIT	STATE	01/27/2000	
	1	HQ - PC023 - REQUEST FOR AUTOMATIC EXTENSION GRANTED	STATE	11/08/1998	
	Notes: RENEWAL APP REC'D 9/9/1998				
	1	HQ - PC020RN - POST-CLOSURE RENEWAL APPLICATION RECEIVED	STATE	09/09/1998	
	2	GA - MP242NS - SIGNIFICANCE DETERMINATION-NOT SIGNIFICANT	STATE	06/07/1996	
	3	HQ - PC235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE	STATE	06/07/1996	
	3	HQ - PC240GW - MODIFICATION APPROVED-GROUNDWATER MONITORING MODIFICATION	STATE	06/07/1996	
	2	HQ - PC230GW - MODIFICATION REQUESTED RECEIVED-GROUNDWATER MONITORING MODIFICATION	STATE	06/04/1996	
	Notes: CLASS I MOD ON SAMPLING				
Not Linked to a Modification (PC230) Event	2	HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED	STATE	06/04/1996	
	Notes: GROUNDWATER SAMPLING				
	1	GA - MP242SI - SIGNIFICANCE DETERMINATION-SIGNIFICANT	STATE	03/31/1994	
	Notes: 2 PHASE VES				
	1	HQ - PC240CA - MODIFICATION APPROVED-CORRECTIVE ACTION MODIFICATION	STATE	03/31/1994	
	Notes: MODIFICATION DETERMINATION CORRECTIVE ACTION MODIFICATION				
	2	HQ - PC250 - PERMIT REVIEWED	STATE	03/31/1994	
	Notes: 5 YR PERMIT REVIEW				
	1	HQ - PC236AP - PERMIT MODIFICATION PUBLIC NOTICE - INTENT TO APPROVE	STATE	02/07/1994	
	Notes: CORRECTIVE ACTION FOR 2 PHASE VES AND 5 YEAR PERMIT REVIEW				
	1	HQ - PC231AI - CLASS DETERMINATION-AGENCY INITIATED MOD	STATE	01/28/1994	
	Notes: MOD PURSUANT TO A 5 YEAR REVIEW				
	1	HQ - PC235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE	STATE	01/28/1994	
	Notes: CORRECTIVE ACTION PLAN FOR 2-PHASE VES				
	2	HQ - PC233 - REVISED PERMIT MODIFICATION RECEIVED	STATE	10/01/1993	10/01/1993
Notes: CORRECTIVE ACTION PLAN FOR 2-PHASE VES					

Comprehensive Permitting Report

Report run on: August 8, 2023 8:27:55 AM EDT

Page 8

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

FORMER XEROX ATLANTA CRC FACILITY - (continued)					GAD010103232
Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
Not Linked to a Modification (PC230) Event	2	HQ - PC232 - MODIFICATION NOTICE OF DEFICIENCY Notes: CORRECTIVE ACTION PLAN FOR 2-PHASE VES (NOD #2)	STATE	07/29/1993	
	1	HQ - PC233 - REVISED PERMIT MODIFICIATION RECEIVED Notes: CORRECTIVE ACTION PLAN FOR 2-PHASE VAPOR EXTRACTION	STATE	06/03/1993	
	1	HQ - PC232 - MODIFICATION NOTICE OF DEFICIENCY Notes: CORECTIVE ACTION PLAN FOR 2-PHASE VAPOR EXTRACTION	STATE	03/05/1993	
	2	HQ - PC230CA - MODIFICATION REQUESTED RECEIVED-CORRECTIVE ACTION Notes: CORRECTIVE ACTION PLAN FOR 2-PHASE VAPOR EXTRACTION	STATE	12/07/1992	
	2	HQ - PC23130 - CLASS DETERMINATION-CLASS 3 MOD Notes: CLASS 3 MOD	STATE	12/07/1992	
	1	HQ - PC240GW - MODIFICATION APPROVED-GROUNDWATER MONITORING MODIFICATION Notes: DIRECTORS APPROVAL	STATE	10/15/1992	
	1	HQ - PC242SI - SIGNIFICANCE DETERMINATION-SIGNIFICANT	STATE	10/15/1992	
	1	HQ - PC230GW - MODIFICATION REQUESTED RECEIVED-GROUNDWATER MONITORING MODIFICATION Notes: INSTALLATION OF QED PUMPS ON 5 DEEP WELLS	STATE	10/01/1992	
	1	HQ - PC23111 - CLASS DETERMINATION-CLASS 1 MOD, PRIOR APPROVAL REQUIRED	STATE	10/01/1992	
	2	HQ - PC240CA - MODIFICATION APPROVED-CORRECTIVE ACTION MODIFICATION	STATE	09/29/1989	
Not Linked to a Modification (PC230) Event	2	HQ - PC235 - PERMIT MODIFICATION DETERMINED COMPLETE AND TECHNICALLY ADEQUATE	STATE	08/08/1989	
	3	HQ - PC232 - MODIFICATION NOTICE OF DEFICIENCY	STATE	06/22/1989	
	3	HQ - PC233 - REVISED PERMIT MODIFICIATION RECEIVED	STATE	06/02/1989	
	1	HQ - PC230OH - MODIFICATION REQUESTED RECEIVED-MOD. OTHER THAN AC, CA, OR GW	STATE	03/15/1989	
	1	HQ - PC417 - FACILITY RELEASED FROM CLOSURE REQUIREMT	STATE	03/15/1989	
	1	GA - PC455IB - ----- NO DESCRIPTION -----	STATE	12/07/1988	
	1	GA - PC457RP - ----- NO DESCRIPTION -----	STATE	12/07/1988	
	1	GA - PC458CF - ----- NO DESCRIPTION -----	STATE	12/07/1988	
	1	GA - PC459 - ----- NO DESCRIPTION -----	STATE	12/07/1988	

Quick report

Comprehensive Permitting Report

*** WARNING *** Sensitive information may be displayed on this report. *** WARNING ***

FORMER XEROX ATLANTA CRC FACILITY - (continued)

GAD010103232

Events	Seq.	Description	Resp. Agency	Actual Date	Schedule Date
	1	GA - PC462 - ----- NO DESCRIPTION -----	STATE	12/07/1988	
	1	GA - PC463XA - ----- NO DESCRIPTION -----	STATE	12/07/1988	
	1	GA - PC447YE - ----- NO DESCRIPTION -----	STATE	06/24/1988	
	1	GA - PC454RX - ----- NO DESCRIPTION -----	STATE	06/24/1988	
	1	GA - PC443CO - ----- NO DESCRIPTION -----	STATE	12/05/1986	

Unlinked Units - Seq. and Name

Unit Detail Sequence Numbers

No Unlinked Units

Unlinked Events	Event Seq. and Description	Resp. Agency	Actual Date	Schedule Date
Series: APP01 Seq: 1 1	HQ-OP439NS - FACILITY MANAGEMENT PLAN SCREEN	EPA	09/24/1985	